

Papa. March 24<sup>th</sup>. 1826

An  
Inaugural Dissertation  
on  
Pneumonia biliosa.  
by  
Alexander. W. Tennent. A.B.  
of Virginia.

---

Page 100



and  
diff  
Rue  
into  
and  
con  
D  
a  
the  
by a  
-had  
-cov  
aff  
by

1

An Essay,  
on  
Pneumonia biliosa. —

In compliance with a long established and necessary requisition of this School, I offer with diffidence the following imperfect observations on Pneumonia biliosa. It is a disease, obscure and intricate in its nature, alarming in its progress, and one which too often ends its course in death, even when judiciously and promptly treated.

In selecting as the subject of this Dissertation, a malady confessedly formidable and occult, the vain expectation of improving its treatment by suggestions of my own, has not been my inducement; for Authors who have shone conspicuous for professional superiority, have long suffered it to pass with little observation, and by many it has been wholly disregarded — but,

*[Faint, illegible handwriting in a cursive script, likely a historical document or letter.]*

*[Faint, illegible handwriting on the right edge of the page, possibly from the adjacent page.]*

But my incentive in the selection, was the knowledge, that the subject stood in need of illustration, and that it might be divested of much of its intricacy and difficulty, even by a description of the most striking Characteristics of the disease, as it prevails in different parts of our extensive Country, by giving something of systematic arrangement to the whole subject, together with an enumeration of the most important remedies advised by others as best suited to the indications, and a proper explanation of their *Modus Operandi* in removing the Complaint.

I reflected moreover, that although my inexperience would prevent my making Contributions towards the cure; I should be enabled to accomplish the chief Object of the Essay, by describing the disease as it prevails in that section of Virginia in which I resided, and where opportunities of observation have enabled me to.

*[Faint, illegible handwriting in cursive script, likely bleed-through from the reverse side of the page.]*

to  
together  
lyon  
than  
I sh  
- the  
he p  
of p  
tho  
me  
me  
- me  
from  
- me  
as a  
- me  
The  
not

to give a more accurate delineation of its features,  
together with a more correct view of its causes,  
Symptoms, and cure. —

When speaking of the treatment of this disease,  
I shall find it necessary to refer to the prac-  
tice of others; and although their opinions may  
be opposite and discordant, and their modes  
of practice very different; the course deduced from  
them may notwithstanding be correct. In as-  
much, as I shall present such plan of treat-  
ment alone, as appears most consonant with  
sound reasoning and a knowledge of the hu-  
man System; And of all the remedies derived  
from them, offer such only, as the most promi-  
nent indications seem to require; and such  
as are not incompatible with the pathogno-  
monic symptoms of the disease. —


The Elixir which I am about to offer will, I doubt  
not be found deficient; but I hope it will  
(be,

*[Faint, illegible handwriting in cursive script, likely a historical document or letter.]*


be  
w  
the  
be  
it  
low  
even  
w  
conf  
has  
Com  
by C  
more  
leas  
d  
pe  
an  
ten

be more as regards the manner in which it is written, than the remarks which it contains, - And that it will be remembered by the learned Individual under whose examination it must pass, that it is offered in conformity to a law of the University; and that the observations even of a Tyro in the Medic<sup>l</sup> Art. (though roughly written) if correctly made, are not always unimportant. Since a correct knowledge of diseases like the present, occult, undefined, and complex in their nature, can only be acquired by consulting the contributions of many -

Of all the species of symptomatic pneumonia, bilious pleurisy, though by no means the least dangerous, has been most neglected by the Literate of the profession. And indeed the few accounts given of it by Practitioners, are so discrepant and indistinct, that they tend rather to obscure, than elucidate the subject. -  
This -



This contrariety of opinions, has originated from  
 various causes. From other diseases having been  
 mistaken by physicians for Pneumonia biliosa,  
 on account of their mixing with symptoms  
 in some other complaint, which they deemed  
 characteristic of this. - Thus many have termed  
 every case of pleurisy where the sputa were  
 thin and yellow bilious pleurisy. - Different and  
 opposite opinions with respect to the proper treat-  
 -ment of this complaint, have arisen from  
 erroneous impressions formed concerning its pa-  
 -thology. - These pathological errors have been  
 started up concerning pneumonia biliosa, from  
 the various appearances which it has assumed  
 when under the influence of different seasons  
 or situations, and when diversified by differ-  
 -ence of climate and degree of temperature.  
 Thus in cold climates, the inflammatory diathesis  
 is most apt to prevail, and the pleuritic  
 symptoms



Symptoms to predominate over the hepatic. -  
Whereas in Countries which are hot, and better  
suited to the production of miasmatic ephe-  
- meras, the bilious symptoms commonly hold  
the ascendancy, and the disease assumes more  
of the typhoid appearance. - In illustration of  
this, the disease in the southern States of our own  
Country, almost always wears the typhoid type,  
and is never so inflammatory as it is known  
to the North. -

This disease in our then, is subject to the  
modifications of a variety of Causes, and it is  
in the manner mentioned, that such discrep-  
- ancy of opinion, has originated concerning it. -

Physicians remaining in the dark respecting  
its pathology, have accordingly bestowed on  
it improper appellations, which are generally  
more expressive of its prevailing type in different  
climates, or parts of a Country, than of its real  
- Character.

Cha

But

Terro

affec

typo

with

of the

and

acola

Cal

men

from

no

so

Le


for

and

high

Character. Thus many have denominated it Pneumonia typhoides, when the typhoid symptoms were prevalent, believing, that the general affection of the system was always that of typhus fever, which in some cases was attended with inflammation of the pleura, and in others of the Brain, or other parts of the body. In the Southern States, where it is usually attended by violent pain in the head, it is termed by the vulgar, pleurisy in the head. It has also been called by various other names, such as, Typhus pleuropneumonia, Malignant-Pleurisy, bilious Epidemic fever, and many others, all of which have had no other tendency, than to involve the subject in greater obscurity and doubt. —

It is in this way that we are enabled to account (perhaps correctly) for a fact which would otherwise appear almost inexplicable. — Viz that a highly dangerous disease, should have existed  
 Overal.



coeval with the first Settlements of our Country, and should even now, in this enlightened age, claim with unrestrained and destructive power, its unnumbered victims in a Land, on which the Sun of Medical Science shines with peculiar brightness; and where its benignant rays, are fast dispelling from our glorious Art, the Clouds which Ignorance, Empiricism, and Superstition have thrown around it. —

Pathological remarks] The fact is well known to Physicians, that any irritating Cause, which greatly deranges the stomach and bowels, will thereby in many cases occasion pain in some part of the side. This pain is frequently met with in a slight degree, and unattended by cough or fever, so as scarcely to attract attention. In some instances however, the irritation has proved sufficient to produce all the symptoms of Pneumonia. In confirmation of this, cases might be cited

*[Faint, illegible handwriting on lined paper]*

the  
ton  
of  
sto  
the  
on  
con  
the  
-reg  
and  
fig  
pa  
ced  
p  
of  
by  
-m  
fro  
eff


Cited from Authors, where well marked symptoms of Pleurisy were induced, by the presence of looms or other irritating matters in the stomach and intestines. In what manner the symptomatic affection of the pleura is brought on by the irritation of the stomach and bowels, seems difficult to determine, unless it be accounted for, by that intimate sympathetic connexion which subsists between the stomach, and all the most important organs of the System. But it is certain that this irritative pain, which we have no reason to believe proceeds from inflammation, at an early period of the disease, is occasioned by the irritation of the *prima via*, as is clearly demonstrated by the fact, that remedies directed to the removal of the offending and irritated matter from the stomach and bowels, seldom fail to effect a cure if taken in the commencement, whilst.

where  
idea  
the  
No  
of a  
at  
we  
for  
is to  
Cam  
in  
is of  
Pho  
for  
in  
where  
the  
glass  
the


whilst those directed to the pain itself, as an idiopathic affection are never known to effect the object of their exhibition.

Now when this pain in the side, is the effect of irritation of the primæ viæ caused by *Ascle*, it constitutes the compound disease of which we are speaking, the most appropriate name for which, appears to be *Pneumonia biliosa*, and is therefore, the only one which I shall retain.

*Cause* — That the same cause which operates in producing bilious fevers, (viz marsh effluvia) is principally concerned in the production of *Pneumonia biliosa*, appears evidently from these facts. 1<sup>st</sup> That the disease is most prevalent in situations, (if not entirely confined to them) which are suited to the production of marsh miasmata. For instance, in places which are flat and swampy, such as the low lands on the river courses, and on that account, subject to




to the influence of miasma, when the heat of the sun becomes sufficient to cause its evolution, the Inhabitants are annually afflicted with bilious fevers. It is in such situations, that Pneumonia biliosa is known to make its ravages, when the weather becomes sufficient-ly cold, or its changes sufficiently sudden, to induce the pleuritic symptoms. And in such situations, when there has been but little sickness during the fall (unless a greater number have acquired a predisposition, without having disease excited) the ensuing winter disease is seldom even sporadic, and never epidemic. It is known too, that persons of a bilious diathesis, who<sup>are</sup> most liable to attacks of fall fever, are most obnoxious to pneumonia biliosa. - Moreover, persons who have suffered from the prevailing fever of the fall, and have been perfectly cured, by copious evacuations of Bile, are



are seldom attacked by the subsequent winter disease, - whereas individuals who have wasted proper evacuations, but have notwithstanding recovered, with a remaining fibrillar, or lurking predisposition to disease, are of all others, most frequently attacked by bilious pleurisy.

It may appear somewhat unaccountable to many, that this bilious tendency which was contracted in the fall, and has been stated above to be the remote cause of the winter disease, should not during the autumnal months terminate in bilious fever; And that after the cold weather has put an end to the unwholesome condition of the atmosphere, it should still remain so long in the system, without displaying its effects. - Without entering into further explanation, it need only be said, that many persons are known from their unhealthy aspect, occasional loss of appetite, head-ach, slight pains in different parts



parts of the body &c, to bear with them throughout the fall a constant tendency to disease, without having fever excited, and that the unhealthy condition induced in the chylepoietic viscera does continue the same, notwithstanding the cold weather. It is certain then that this morbid condition of the system, constituting a predisposition to disease, may during the autumnal and even winter months, remain in the system unperceived, when, like a secret and insidious foe, it lurks in deceitful quietude, till an exciting cause arouses it to deadly, and destructive action. At what time it prevails Having seen the manner in which the disease takes place in the system, it may be well to advert to the time of its greatest prevalence. From what has been said concerning the remote and exciting causes, it appears almost a necessary consequence that it should prevail, whenever the weather becomes sufficiently cold.

Colo  
case  
latter  
Colo  
po  
than  
man  
Wen  
fell  
sch  
ly  
the  
in  
sac  
tion  
den  
for  
den  
be


Cold to produce pneumonic affections. Sporadic  
 cases make their appearance sometimes in the  
 latter part of the fall; but it is not until  
 Cold weather sets in, that it becomes generally  
 prevalent. Its effect produced on the  
 the System, by a cause operating suddenly, is  
 much greater, than from one, gradually applied.  
 Hence it is, that the disease is more universally  
 felt, when the changes are sudden, than  
 when the weather is uniformly and intensely  
 cold. And the cases which occur when  
 the air is not affected by such changes, may,  
 in most instances be attributed rather to  
 sudden exposure, than to its low degree of  
 temperature. When the fall fever has been epi-  
 demic, or the succeeding winter subject to  
 frequent vicissitudes, we may expect the  
 disease to be very prevalent. But it is when  
 both cooperate that it displays itself in all.

- its

the  
place  
by se  
follo  
east  
been  
book  
time  
ing  
of the  
be a  
the  
place  
steep  
place  
the  
con  
- be  
ter  
with

its violence, and does the work of death with epidemic fury. - As the disease is brought on more by sudden vicissitudes than, low temperature, it follows, that it must be most prevalent in the early part of the spring, unless the winter has been affected by frequent changes -

<sup>In what situa-</sup>  
<sup>tions it prevails</sup> After what has been said concern-  
-ing the effect of marsh effluvia, and the nature  
of this disease, I need scarcely state, that it must  
be chiefly prevalent in situations suited to  
their production. - And in the vicinity of such  
places; for marsh miasma is known to spread  
itself to a considerable distance from the  
place of its production. - It is on this account  
that persons residing in situations which are  
considered healthy, but in the immediate neigh-  
-bourhood of flat grounds, are during the win-  
ter seldom affected with *pneumonia vera*, they  
either contract a bilious predisposition in the



unhealthy places, or the effluvia is in a degree  
waste to them.

After stating that the disease prevails  
in situations, exposed to the effects of miasmata,  
it is unnecessary to multiply examples, But  
this part of the subject, leads me to speak  
of the medical topography of the country in  
which I reside, and to make a few remarks  
relevant to Delirious Plurisy, as it is known  
with us. —

The town of Port Royal is situated  
on the south side of the Rappahannock river,  
in an extensive plain, of the most fertile  
soil and luxuriant growth. This plain extends  
at the back of the town to the distance of a  
mile, where it meets with a range of hills which  
stretching nearly in a semicircular direction, with  
never nearly encircle the plain below. On either  
side of the town there is a creek, which arising  
from,

*[Faint, illegible handwriting on lined paper, likely bleed-through from the reverse side.]*

*[Faint handwriting on the right edge of the page, possibly from the adjacent page.]*

from the surrounding hills, and inclining in this  
 course finally met the river at the distance  
 of half a mile from the town. — One of these  
 creeks was formerly, completely covered by trees  
 and undergrowth, and the town was at that  
 time resorted to as a healthy situation. — But  
 some years ago one of our most-enterprising and  
 enlightened agriculturists, cleared the trees  
 which covered the creek and its marshes from  
 the sun, with a view to drain its bed. This  
 was successfully done for a considerable ex-  
 tent, by running two dams across, to prevent  
 the influx of tide from the river, enclosing  
 thus a large body of water which was ren-  
 dered stagnant. — From this description it  
 is plain to every one acquainted with the  
 pathology of bilious fevers, that no country could  
 be better calculated to produce them, and  
 accordingly, ever since the exposure of the creek  
 — and

2

*[Faint, illegible handwriting in cursive script, likely bleed-through from the reverse side of the page.]*

*[Faint, illegible handwriting visible on the edge of the adjacent page.]*

and its marshy beds, the town and its immediate neighbourhood, have suffered annually from fevers of a most violent, and intractable nature. After a fall when disease has been almost universally disseminated, (as is now frequently the case,) a large number of the inhabitants must remain predisposed, and therefore liable to Pneumonic fevers when the cold weather commences. And as the weather here is very liable to sudden vicissitudes, during the winter and spring months, the number affected with this disease is often very considerable.

<sup>When most</sup>  
<sup>liable to</sup>  
<sup>attack</sup> As a general statement, it may be said that the persons most liable to its attacks, are such as from neglect or inability to procure assistance, have not been properly cured of the fall fever; and such as from the nature of their occupations are most exposed to the exciting causes. Of these, old persons are not


24

*[Faint, illegible handwriting in cursive script, likely bleed-through from the reverse side of the page.]*

*[Faint, illegible handwriting on the right edge of the page, likely bleed-through from the reverse side of the page.]*

so liable to the affection, from having become acclimated to the country, and habituated to its diseases. Children are not much exposed to the exciting Cause, and even if they were, it is known, that the gradual development of their organs, renders them less susceptible of morbid impressions. It is in men of strong and plethoric habit; and in strangers, who have been exposed to our autumnal diseases, that the complaint is found in its greatest violence.

*Diagnosis*  
*symptoms* Although Pneumonia biliosa may be found to exist in almost every grade of action, between typhus fever and a high synocha, yet the Diagnosis is not so difficult as might be supposed. It may generally be accurately distinguished from other cases of symptomatic Pneumonia, with which there is most danger of confounding it, by consid-  
-ering



-ering attentively the various symptoms which indicate the presence of bile in the prima via, and by ascertaining that the patient has been formerly subject to bilious affections.

The pleuritic symptoms in high and black situations, and in negroes, it is true, sometimes predominate to a very great degree over the hepatic, so as much to resemble Pneumonia serena. But it may be distinguished from this, by these appearances. The tongue in pneumonia biliosa although sometimes white at the commencement, is almost in every case, even in the incipient stage tinged with yellow, which inclines to deeper hues as the disease progresses, whereas in pneumonia serena it is white. - The bilious pneumonia, on account of the disordered state of the stomach, is uniformly marked by violent head ache, nausea, loss of appetite, somnolence.

*[Faint, illegible handwriting in cursive script, likely a historical manuscript or letter.]*

*[Faint, illegible handwriting on the right edge of the page, possibly from the reverse side or a marginal note.]*

of the epigastrium, with pains in different parts of the body as in bilious fever, and these symptoms are known not to characterize pneumonia vera. In pneumonia vera the fever is a high synocha, - no bilious flux - viz it most commonly assumes the remittent form, with exacerbations and remissions. And the urine in this complaint is deeply coloured with bile. When the bilious symptoms are most prominent, this disease is readily distinguished from a bilious remittent, to which it bears some resemblance, by considering the exciting cause, the season at which it occurs, and the presence of pain in the side, with dyspnea and cough. -


[Prognostic symptoms] Should the attack be mild and slow in its approach; the head aching slight, respiration free, with early expectoration, and slight pain in the side, we may expect the disease.

*[Faint, mostly illegible handwriting in cursive script, spanning approximately 15 lines across the page.]*

dis  
Bo  
No  
han  
last  
happ  
to a  
hea  
App  
low  
one  
cas  
the  
the  
the  
the  
for  
it

disease to yield readily to proper evacuations. But when it comes on suddenly, and with violence, as is sometimes the case, the attack having having been preceded by, belated taste, nausea, vomiting, and serous of the right hypochondriac region, extending up the side to the shoulder. And succeeding these, violent head-ache, throat, great pain of the side, with dyspnea and cough, difficult or late expectoration and restlessness, the event must be considered extremely doubtful, but even such cases have been known to yield to proper treatment.—

[Treatment] The general plan of treatment here, should be a combination of that suited to the febrile symptoms, and the treatment of the local pleuritic affection. I shall speak first of Bloodletting, because when indicated, it is the first remedy which should be applied.




-plied, in most instances, as it facilitates, or renders safe the operation of the most important subsequent remedies. And although it has not been considered the principal dependence in this complaint, it is certainly in most cases, an indispensable auxiliary, and is therefore equally entitled to the first place in our Consideration. Moreover it requires the most judicious management, and is therefore more frequently, improperly used than any other remedy.

It is not surprising, that such difference of opinion concerning the use of this remedy, should prevail among practitioners, when we reflect, that in different climates seasons and situations, the liability of the pulmonary organs to take on inflammation will be different - and we know that the sooner the inflammatory symptoms supervene, the earlier should blood be drawn; and  
the

the  
differ  
appon  
prop  
Eng  
the  
of 2  
acron  
after  
men  
prop  
-sides  
-per  
- Cam  
Afri  
Epa  
Occa  
or  
- and

the more effectual is the remedy. By consulting different Authors it may be found that this disagreement has always existed, concerning the propriety of veni-section in bilious pleurisy.


Cighorn in speaking of it says, "that such was the rapid progress of these mortal pleurisy, that if any of them survived the seventh day, it seemed entirely owing to Bleeding," and that after having tried many other plans of treatment, he found that copious bloodletting and proper evacuations were the most effectual remedies. Others have insisted, that it was improper only at the commencement, probably, because they bled before there was inflammation. Again it is stated in the Edinburgh Medical Essays, that in this disease which frequently occurred in Febr. "when bloodletting was omitted or used very sparingly, and emetics were given early, and afterwards repeated with refrigerants



-gements, leucates, and expectorants, the patients generally recover. - Such opinions can not be reconciled without supposing some difference in the prevailing nature of the disease. -

That bleeding, when practiced very early in this complaint - should in many cases fail to afford relief is not to be wondered at - for we have reason to believe that many draw blood before there is really inflammation - since the belious symptoms make their appearance, accompanied by a sympathetic pain in the side, in some cases a considerable time before there is real inflammation. The proper time for bleeding is whenever the pulse indicates the actual existence of inflammation, by its tense and hard beat, and the soon as it is done then, the better.

The disease here is commonly not as inflammatory as it is found in some of the northern  
(and)



and eastern states, and partakes more strongly  
 of the bilious diathesis. Hence it is, that bleed-  
 -ing is often carried too far, and the system  
 becomes prostrated, and unable to bear the vacu-  
 -ations necessary for the removal of the offending  
 and retained matter, from the stomach and  
 bowels. It is for this reason that the blood should  
 be drawn as soon as possible after inflammation  
 is induced, and even then, it should be slow-  
 -ly, and cautiously taken. The quantity should  
 be regulated by the effect on the pulse, remem-  
 -bering, that the remedy is hazardous after it  
 becomes soft and weak. And the practi-  
 -tioner will also be directed in his judg-  
 -ment, by his knowledge of the extent to which  
 the biliary organs are involved, for when much  
 is to be effected by evacuations from the alimen-  
 -tary canal, it would certainly be improper to  
 detract too largely from the circulation—

(See,

The  
- and  
- two  
" Eni  
pale  
alth  
has  
to m  
as  
dica  
- ma  
in 2  
infl  
some  
Cord  
biss  
- two  
for

The pulse in this disease it is true, is very variable, and affords, perhaps less useful indications than in many others. It has been said "In pleurae, aut pulmonum inflammationibus pulsus nimis fideliter decipitur." But although it may be a worse criterion in this disease than in most others, it still appears to me, to be the best we have, at least as far as regards letting blood, or letting it alone.

It may be stated generally that the disease admits of but little bleeding in this climate; frequently of not more than one, but in some few cases it assumes the most violent inflammatory appearance, and then it becomes necessary, to detract more fully from the circulation. When the patient's strength becomes so far exhausted as to forbid the further use of general bleeding, the chief reliance for the reduction of the inflammation is to  
be

*[Faint, illegible handwriting on lined paper]*


by  
The  
be  
it a  
if s  
good  
why  
the  
-ing  
pro  
one  
bec  
the  
with  
the  
obs  
pro

be placed in topical depletion, and blisters.

The depletion may be performed by cupping or leeches. Many have erroneously contended that it does not diminish the *vis a tergo*, but even if this were true, it certainly opens the congestion of the part, and thus affords great relief. Blisters have always been used in this affection, but they do not afford as much relief as in *frustrum* vera.

[*appearance of*  
*the blood*] The blood drawn in bilious pleurisy assumes various appearances as the disease progresses. It is here generally florid at the commencement, and the Crapamentum becomes very much cupped. Cleghorn states that he found often a pale yellow crust, with around of the same complexion; and the same appearances are frequently to be observed with us. But the changes are very frequent, and I do not know that the prog-

(over)



- mis. is much assisted by them. When the disease is very far advanced however, there is sometimes no separation between the cranium and brain, and then there is commonly no hope of a recovery. —

[Emetics] After bloodletting, if it has been necessary, the next remedy applied should be an emetic if nothing contraindicates its use. The violent pain in the head need not be regarded in its administration, as it does not proceed from plethora, but from the disordered state of the stomach, as is known, from the sudden relief which is experienced after the operation. —

No one acquainted with the pathology of this complaint, and the modes of curandi of Emetics, can deny, that they perform if not the most important office in the cure, at least one which is indispensable.

In

*[Faint, illegible handwriting across the page]*

to  
of a  
cal  
of  
- to  
the  
By  
of  
per  
- con  
cal  
the  
let  
gr  
of  
let  
As  
ma  
mo

In the first place, they evacuate the stomach of its noxious contents, and prepare the way for cathartics, and when we consider the danger of a retention of retained or opprobrious matter in an organ of such extensive influence, this effect must be esteemed of great value.

By their effects on the stomach, a relaxation of the extreme vessels is brought about, whereby perspiration is induced, which in this disease, is a result very desirable, and highly salutary. Professor Chapman, after speaking of the very intimate connexion, which subsists between the stomach and head, and the great utility of emetics in treating affections of the latter, says, "Nor perhaps, have they a less striking affinity to the pulmonary organs. As soon as vomiting takes place, we may remark a copious flow of saliva, and a discharge more or less from the Bronchiae, which, when vomiting,

*[Faint, illegible handwriting in a cursive script, likely a historical ledger or account book. The text is arranged in approximately 20 horizontal lines across the page.]*

*[Faint, illegible handwriting visible on the right edge of the page, possibly from the adjacent page or a marginal note.]*

vomiting is induced, becomes considerably aug-  
 mented. In this way expectoration is pro-  
 moted by them, and an indication of high  
 importance fulfilled. Such effects are suffi-  
 cient to convince us that emetics are of the  
 greatest utility in the treatment of bilious  
 pleurisy; and accordingly there are many  
 cases, said to have been cured, by their sole  
 employment. They may be given as early  
 as possible, undisturbed by the rebels, or other  
 symptoms forbid, bleeding should in each  
 case, be promised. It seldom happens here,  
 that emetics may not be given in the com-  
 mencement, and even frequently repeated  
 during the complaint; but there are some  
 few cases, in which the high state of action  
 in the lungs and liver, seems to forbid their  
 use. When a full dose is contraindicated  
 a good effect may be derived from small  
 portions,

pro  
along  
fate  
negle  
the p  
down  
how  
confu  
cont  
pro  
Calo  
- view  
of  
near  
of M  
the  
Cato  
by h  
some

portions administered so as not to excite vom-  
-iting. I treated a case this spring, when the  
patient who was a strong labourer, had been  
neglected for some time before I saw him. As  
the pain in the side was violent, I cautiously  
drew about six ℥ of blood, the loss of which he  
bore badly; and the heart appeared so much  
enfeebled in its action, as to demand stimu-  
-lents. I placed the ship salance on small  
portions of tartar emetic, in combination with  
Calomel and Camphor. This aided by aper-  
-ients, expectorants, and the local treatment  
of the side, afforded him relief and he  
recovered in a short time. — The appearance  
of the bile vomited in this disease, on much  
the same as in bilious fevers..

[Cathartics] When arterial action has been reduced  
by bleeding, and the primæ viæ cleared by an  
emetic, the next remedy which would be most  
(naturally)

ratio  
eddy  
In  
room  
long  
foot  
the  
that  
who  
the  
Anc  
acc  
and  
acc  
del  
inter  
abu  
to a  
mo

naturally be suggested is, a cathartic; and undoubtedly, no remedy can be more strongly indicated. In making a proper selection, it should be remembered, that the condition of the alimentary canal is much the same as in bilious fevers. Doctor Cooke of Virginia states, that the treatment necessary to recovery, shewed that the disease was the same with that which prevailed in the summer, with the addition of the pleuritic symptoms; and that he always found purging as necessary as it was before cold weather, and the evacuations of the same colour and consistence. — As the morbid condition of the hepatic apparatus, causes a vitiated secretion which must be made to assume a natural appearance before a cure be accomplished, it is evident, that the most important article of this class is Calomel, (which,

2

*[Faint, illegible handwriting in cursive script, likely bleed-through from the reverse side of the page.]*

*[Faint, illegible handwriting on the right edge of the page, likely bleed-through from the reverse side.]*

must be given, either alone or in combination, until this effect is produced. The neutral Salts and Salap, so useful in pneumonia vera, seldom answer a good purpose here, except in the more inflammatory cases. The depletion they produce from the bloodvessels increases the debility, and a exhaustion, which are almost always prominent features in this Malady. Indeed there are many cases, where there is so great a prostration of the vis Vita, that Stimulants seem to be required from the beginning almost to the exclusion of depletory measures. In such cases slow purging, by Calomel in broken doses, is productive of an admirable effect. In some cases where the typhoid symptoms were alarming, I have known the Camphorated Salap to be given from the commencement, and although the pleuritic affection was destroying, no harm was found to result from its use.

(Obtinate)

*[Faint, illegible handwriting in cursive script, likely a historical document or letter.]*

*[Faint, illegible handwriting on the right margin of the adjacent page.]*

Obstinate Constipation sometimes occurs in this disease, it may be removed by Cathartics, aided by Enemata containing about ʒij of Gum Arabic. In very obstinate Cases we should recur to Calomel, with a view to its alterative effects. Mercurial <sup>frictions</sup> should be used, to assist ~~in the~~ accomplishment of the same object.

*Anodynes*. The only preparation of this kind, which can be used with propriety in pneumoniae <sup>torrida</sup>, is the pulvis Doveri - which may be given with good effect, in the dose of twelve or fifteen grains, when there is much restlessness or cough at night. In most cases it is best to unite with it a small portion of Calomel.

As an expectorant, a combination of the Symplic. Scilla, Sp. ntri. dulcificat. and mucilage of G. arabic, answers remarkably well, and is perhaps as good as any other preparation. It should be taken pro re nata

2

due  
is a  
far  
keep  
on  
ad  
aph  
I ha  
pon  
tore  
len  
tate  
dow  
mle  
eng  
to  
thre  
and  
nee

during the complaint— When the patient is convalescent, *Serpentaria* combined with bark is well suited to his condition— It keeps up a gentle and salutary action on the skin and extremities, and acts as a wholesome stimulant, to an exhausted system.

I have now given the best description in my power of the leading characteristics, and treatment of bilious pleurisy. Briefly, because the limits of this essay do not admit of wider expatiation— Conscious of its imperfections, and anxious to be corrected when I have erred, I submit it to the consideration of individuals engaged in the direction of the sublimest study of the human mind; whose lessons their pupils must ever remember with delight, and whom nature, afflicted mankind shall revere, with admiration and gratitude.

The first of these is the fact that the  
 government has been unable to secure  
 the necessary funds to carry out its  
 policy of non-interference in the  
 internal affairs of the country. This  
 has been due to a variety of causes,  
 including the fact that the government  
 has been unable to secure the necessary  
 funds to carry out its policy of non-  
 interference in the internal affairs of  
 the country. This has been due to a  
 variety of causes, including the fact  
 that the government has been unable  
 to secure the necessary funds to carry  
 out its policy of non-interference in  
 the internal affairs of the country.